

HOMEOWNER FAQs

QUESTIONS CONCERNING CONSTRUCTION ISSUES

1. My floor squeaks. Will you repair it?

Your home's floor system is made out of wood, which moves (deflects) when weight is applied to it. Sometimes this can result in a noise. Noises that come and go, usually with changes in heat or humidity, are not considered floor squeaks requiring repair. Floor squeaks that appear throughout the seasons will be repaired.

2. There are globs of drywall compound and paint on my sub-floor. Will this get removed?

Yes. Prior to installation of flooring, the sub-floor will be scraped and swept as required. Some discoloration may remain.

3. I think that I've found an error in the construction of my home. What should I do?

Chances are your Builder already knows about the problem and is coordinating the remedy with other construction activities. However, there are certain items that are only checked by the Builder at very specific points in time, such as a framing inspection, so it's possible for a customer to "discover" an error of that type prior to the Builder. Certain errors involving color selections, upgrades or other options may be impossible for the Builder to catch. For example, the Builder has no way of knowing whether the "Sienna Sand" color that appears on the selection is the actual carpet color installed in your home. If you note an error in one of these areas, please notify your Market Manager or Builder. Please do not put dots or markings of any kind on the wall to identify an error.

4. During framing, some 2 x 4 studs were bowed and some were cracked. Will they be fixed?

Yes, fixed or replaced. Studs in bearing (load supporting) walls with substantial damage will either be replaced or a new stud will be added to provide support. If the damage is minimal or if it is a non-load bearing wall, the damaged stud will be repaired.

5. I am able to see the grain through the paint on some of my wood trim. Will this be repaired?

No, sometimes the wood grain can be visible through the paint because the grain, which is a natural occurrence of the wood, tends to absorb more of the water in the paint.

6. What will happen to the paint residue on the basement steps?

In our standard plans (unfinished lower level) paint is applied to the walls and ceiling of the stairwell. Because the area is unfinished, paint may fall on the steps. This is not considered to be a problem since the stairs will be carpeted if the lower level is ever finished. (Please note that paint is not applied to textured ceilings.)

7. Some days I see no construction in my home or it appears to be out of sequence. Why?

Before your home is built "on site" it is built within our computer system. This includes a multitude of individual activities scheduled to occur during the construction of your new home. Sometimes weather conditions or material or labor availability will prevent an activity from occurring on its scheduled date. The Builder may need to move up (or back!) other activities in the home. In addition, there

are times, such as when drywall compound is drying or when one of the many governmental inspections occur, that there are no obvious activities taking place in your home.

During the early stages of construction your home may appear to be ahead of schedule. Do not adjust your planned activities because the construction schedule will likely revert to the original dates.

8. What can I expect from my drywall finish?

Defining drywall finish has historically been difficult, although many warranty programs have tried. We have settled on standards that were first put together by the Indianapolis Home Builders Association. There are two key points.

Drywall is applied in sheets, which are attached to studs, and then taped and finished with joint compound. Due to differences in texture between tape, joint compound and the wallboard itself, there will be inherent differences in the texture when finished, which may be noticeable.

Drywall surface imperfections have many sources. If a stud twists during the drying process, exceeding the flexibility of the gypsum wallboard, a concave or convex imperfection can occur. Other causes include drywall compound not being sanded perfectly smooth, air pockets in the compound, surface abrasions, etc. The standard rule is that if the imperfection is readily noticed by a visual inspection, it should be repaired. "Readily noticed" is defined as being noticeable at a distance of six feet away from the imperfection under normal lighting conditions. "Normal lighting conditions" are defined as indirect sunlight and medium artificial light. High intensity lighting, direct sunlight, artificial light aimed directly at the area, or artificial light aimed parallel to the wall is not considered normal lighting. If your home has a textured ceiling, it may not look exactly like others you may see due to different application techniques that are used.

9. There are differences in the color of my cabinets. Is this a defect?

It is natural for wood to have an inherent grain that will appear in the finished product. The variations in color will appear to be more or less pronounced depending upon the wood species. This also applies to other products such as hardwood flooring and stair rails. We will not replace cabinet doors in an attempt to achieve a uniform appearance.

10. What if I want to do some work in the home myself, such as painting or installing speaker wires?

There are many reasons why we cannot allow our customers to conduct work in our homes. There are liability and insurance issues that must be avoided. Scheduling, inspections, and building codes may be compromised. Certain items may invalidate parts of the Warranty. We are obligated to honor contracts that we have with suppliers and subcontractors. Consequently, we have a non-negotiable policy that prohibits anyone other than our employees and approved contractors working in our homes prior to the closing.

11. I have my own paddle fans and light fixtures. Will Drees install them for me?

Even though our employees are anxious to be helpful, we cannot allow customer provided products to be installed by Drees personnel. Breakage or theft is possible and we cannot be responsible for replacing items that were not purchased from us.

12. How large is the space for my refrigerator?

Refrigerator space, if flanked by walls on both sides must measure no less than 39" wide. Flanking walls must measure no more than 2'8" deep.

NOTE: Single family only.

QUESTIONS CONCERNING HOUSE CLEANLINESS DURING CONSTRUCTION

1. Should my house be clean each night after a day's work?

Many trade operations take more than one day to complete; therefore a house will frequently look "under construction" overnight. Trade contractors should remove the bulk of their trash on a daily basis and then are required to broom sweep the house when their trade operation is complete.

2. There was some trash in a bathtub...is that normal?

During construction, tubs should have covers on them and generally be trash free. Unfortunately, tubs can't be cleaned on a daily basis and so they may accumulate some trash from time to time. Note that insulation or cardboard scraps are sometimes put in the tub bottoms for protection.

3. Are trade contractors allowed to smoke or eat in my home?

We discourage smoking or eating in the home at all times.

4. Do trade contractors use the toilets inside my home?

All workers are asked to use outside sanitary facilities regardless of whether or not the toilets have been installed in the home.

5. What if I see cleanliness rules being broken during the construction of my home?

Please notify your Market Manager or Builder. Obviously, the Builder cannot be in every home every minute of the day. Once notified, the Builder will address the situation as soon as possible.

QUESTIONS CONCERNING CARPET

1. I can still see carpet seams in my home, is this a problem?

Sometimes a carpet seam can be seen even if it has been installed properly. The seam can certainly be checked for proper installation. Please note that seams in Berber carpet will be more noticeable.

2. How will my carpet be protected once it's installed?

Anyone entering your home must either protect their shoes or remove them before entering the home. Sometimes Market Managers will take prospects through a nearly finished home. If this happens, they will be asked to remove their shoes. If you would like a key to inspect your carpet or your house, please be sure to remove your shoes.

3. My carpet has a stain on it. What will be done?

The first step is to see if normal vacuuming during the final cleaning process will be sufficient. If not, the problem areas will be spot cleaned. In more severe cases it may be necessary to professionally clean the carpet to remove the stain. If the stain cannot be removed, or the carpet has been damaged, the affected areas will be replaced. In the event that the carpet becomes wet, it will be pulled back, the pad will be replaced, if necessary, and the carpet will be cleaned, dried and reinstalled.

QUESTIONS CONCERNING CORRECTIONS

1. Will my house be 100% perfect the first time when complete?

The reality is that this is a physical impossibility. Some corrections will always be required, and that is the reason that we perform two internal inspections of the finished home before your Homeowner Orientation.

2. How will you repair dents in my front door?

Typically in our single-family homes, the front door is a fiberglass door, which will not dent or scratch. Doors made of steel are repaired using body putty similar to the way an automobile dent is repaired. After the repair is painted, the repair will generally not be visible, although upon close inspection a slightly different texture may be detected.

3. How will you repair cracks in my concrete foundation?

Cracks in concrete are a normal occurrence. Cracks that leak will be addressed by injecting a hydraulic sealant, which is said to be stronger than the concrete itself. Cracks in basement slabs may or may not be repaired subject to the guidelines you will find in your Warranty.

QUESTIONS CONCERNING WALK THROUGHS

1. When is the best time to visit my home?

By far, the best time to visit your home is during the evening or on the weekend. Safety and the resultant insurance issues are two factors. In addition, home building is an inherently difficult process and we strive to eliminate any unnecessary distractions to the workers. Please do not inspect your home when there is work going on inside.

2. What is the purpose of the Pre-Drywall inspection?

The Pre-Drywall Inspection has three functions. First, it is to demonstrate what goes on behind the drywall, plumbing, electric, mechanical and structural systems. Second, it allows us to review your options with you to ensure that they are being correctly installed. Third, it provides you the opportunity to pose any questions you may have directly to the Builder. Please note that this inspection is not an opportunity to make changes. Pre-Drywall Inspections will be scheduled during normal business hours on a weekday.

NOTE: Condominiums do not currently require a Pre-Drywall Inspection.

3. What happens to the Homeowner Orientation items?

Noted items are expected to be complete within one week, and are subject to re-inspection by you. We want to have all items listed on the Homeowner Orientation completed prior to closing. Any additional items presented to the Builder after the Homeowner Orientation may not be completed prior to closing. The completion of all items is subject to material availability and weather.

4. Can I bring a professional new home inspector to the Orientation?

In order to save your time and that of our Builder, we do not allow home inspectors to be a part of the Orientation. You are welcome to hire a new home inspector, but the inspection must be scheduled (through your Market Manager and Builder) to occur within one week prior to the Homeowner Orientation. If a radon test inspector has been hired, the testing must be conducted Friday evening thru Sunday to allow the home to be sealed for the requisite 48 hours.

5. When will the Homeowner Orientation be scheduled for my home?

In order to allow our Orientation Representatives sufficient time to travel from one orientation to the next, we have established the following schedule:

Monday: 2:30 p.m.

Tuesday thru Friday: 9:00 a.m. & 2:30 p.m.

6. After we move in, when will Warranty visits be scheduled?

After closing, Warranty visits are scheduled Monday thru Friday between 8:00 and 4:00.

QUESTIONS HAVING TO DO WITH WEATHER CONDITIONS

1. Will rain ruin the installed drywall, insulation or sub-floor?

Small amounts of moisture will not harm drywall, insulation or sub-floor. If the material gets wet enough so as to damage it's integrity or performance, the damaged sections will be removed and replaced.

2. There is a broken window in my home. When will it get replaced?

Broken windows will be replaced close to the Homeowner Orientation, for the following two reasons. First, there is a lag time in receiving replacement windows. Second, there is a chance of the window being broken again. If the break is clearly open to the weather it should be temporarily sealed in the interim.

3. Should my windows be closed at night?

Not necessarily. In general, windows should be closed for the evening once the house has entered the drywall phase. However, some windows must be left open for either safety or ventilation requirements when propane heaters are in use or during the drywall finishing stage.

4. What about care and maintenance responsibilities for my home after closing?

Generally speaking, we are responsible for defects in materials and workmanship. You are responsible for maintenance related items. Please refer to this Warranty Handbook for more specific information.

QUESTIONS CONCERNING EXTERIOR ITEMS

1. Will my exterior concrete crack, settle, or deteriorate?

Cracking and settling of concrete cannot always be prevented. Cracks will develop inside the control joints and possibly start outside them. Industry standards state that cracks that do not exceed 3/8" either vertically or horizontally are within acceptable tolerances. Individual pad settlement has a tolerance of 1" from adjacent pads. Customer maintenance is suggested if cracks develop. We recommend caulking cracks to control water infiltration. Surface deterioration may occur and so we recommend sealing exterior concrete. Please consult the Warranty section of this Homeowner handbook for further details.

NOTE: Townhome or Condominium associations may or may not seal the concrete. Please check with your association management company. Should you choose to seal the concrete in a condo association be sure to obtain board permission.

Driveways that have been poured and covered with blankets during the winter months are subject to discoloration. As the weather warms, the discoloration is typically bleached out by the sun.

2. What can I expect from my yard?

Seed and straw will be installed in disturbed areas to get your yard started. (Wooded areas are not included.) Obviously, further care by the homeowner is required to achieve desirable results. Frequent watering for the first few weeks is essential. Fertilizing and mowing at the proper height will enable your yard to become established. Swales will be created to allow proper drainage from your yard. If standing water remains in a depressed area for more than 48 hours after a normal rainfall, we will make corrections. If settlement occurs, we will address the situation one time during your 12-month warranty period. Again, please refer to Warranty section on this handbook for more specific information.

If additional settlement occurs during your first 12 months in your home, we will provide you with the proper amount of dirt, seed, or straw that is necessary to make repairs.

Please note that seed and straw applications may extend over the property line when there is an “unbuilt” home site adjacent to the property. The boundaries of the seed and straw do not indicate the location of property lines.

NOTE: Townhome and Condominium home buyers are responsible to water the lawn. All other lawn maintenance is often taken care of by the association. Ask the management company for details.

3. My gutters overflow at times. Are they too small?

Gutters and downspouts are sized based upon the square footage and steepness of the roof. Calculations are based upon an even rain. Gutters will overflow during a heavy rain since no gutter size is capable of containing all of the water.

WINTER CONSTRUCTION INFORMATION

When weather doesn't allow for lawn installation or exterior painting to be completed, we are often asked for a schedule. Please be aware of how these items are handled, per the following:

A master list is developed over the winter of those homes for which exterior work will be completed in the spring. This work is typically either new lawns or exterior paint. We will begin installing yards as soon as weather conditions allow, which should be around the middle of April. However, please understand that yard work can be delayed for days or weeks depending on soil conditions. Optimum soil conditions usually lag behind the arrival of warm temperatures. While the temperature may be in the 60's or 70's, the soil under the dry crust will still be too wet to establish a final grade.

When we begin work on a particular street we normally will complete every yard on that street before moving to another street or community. This method has proven to be faster and more efficient than jumping from street to street through dozens of communities in an attempt to install yards in the order of closing dates. Please don't be alarmed when you see work being conducted in this manner.

CONCLUSION

Thank you very much for selecting Drees as your builder. Our goal is to make your home building experience as pleasant as possible. We sincerely hope that you will enjoy your new Drees home and community for many years.